IGL Coatings™ Ecocoat Quartz

Material no.

 Specification
 154283
 Revision date
 22.04.2014

 Version
 1.12
 Print date
 23.04.2014



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME : IGL Coatings™ ecocoat quartz

Page

FUNCTION : Hydro- & oleophobizing and easy clean agent surface modifier and gloss

Page 1 of 4

enchancer

COMPANY : Ominent Sdn Bhd

ADDRESS : 15, Persiaran Pasak Bumi, Bukit Jelutong 40150 Shah Alam, Selangor Darul

Ehsan, Malaysia

PHONE : +60178888289

EMAIL ADDRESS : sales@iglcoatings.com

2. HAZARDS IDENTIFICATION

NON HAZARDOUS PRODUCT, inflammable stable under normal conditions

Causes eye and skin irritation. Harmful if ingested.

POTENTIAL HEALTH EFFECT:

INHALATION; No information is available

SKIN contact; May cause slight skin irritation. EYES contact; Causes eyes irritation.

INGESTION; No information is available. NFPA:HR = health-1, flam.-0, react.-0 HMIS: health-1, flam.-0, react.-0

3. COMPOSITION/INFORMATION ON INGREDIENTS

SINGLE OR MIXTURE : Single

CHEMICAL IDENTIFICATION : Proprietry modified silicone / (confidential) : ca. ~80%

Diethylene glycol monobutyl ether / (112-34-5) : ca. ~20%

Dibutyltin Dilaurate / (77-58-7): ca. <0.1%

4. FIRST AID MEASURES

Description of first aid measures

Remove contaminated or saturated clothing

Inhalation

Following inhalation of aerosols or mist:

Move victims into fresh air.

If symptoms persist, consult a physician for treatment

Skin contact

Remove product from skin with dry cloth or towel, and wash exposed area with plenty of water and detergent Consult a doctor in the event of permanent skin irritation

Eye contact

Keeping eyelid open, immediately rinse thoroughly for at least 15 minutes using plenty of water or, if necessary, eye rinsing solution

In case of persistent discomfort: Consult an ophthalmologist

Ingestion

Have the mouth rinsed with water provided person is conscious. Never give anything by mouth to an unconscious person. Consult a physician immediately

IGL Coatings™ Ecocoat Quartz

Material no.

Specification 154283 Revision date 22.04.2014 Version 1.12 Print date 23.04.2014

> Page 2 of 4 Page



Most important symptoms and effects, both acute and delayed

Symptoms

None known

Hazards

None known

Indication of any immediate medical attention and special treatment needed

If required, therapy of irritative effect.

After absorbing large amounts of substance:

Administration of activated charcoal.

Acceleration of gastrointestinal passage

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Carbon dioxide, dry chemical powder, foam, water fog

Fire & Explosion

Hazards

Toxic, irritating dust or smoke may be emitted

Special Protective

Equipment for fire-

fighters

Firemen should wear normal protective equipment (full bunker gear) and

positive-pressure self contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions

Do not allow entrance in sewer water, soil stretches of water, groundwater, and drainage systems.

Method and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust) Fill into marked, sealable containers.

To be disposed of in compliance with existing regulations.

Suitable binder: universal absorbent, diatomaceous earth

7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Provide good ventilation or extraction.

Avoid contact with skin and eyes.

Storage

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

EXPOSURE CONTROL/PERSONAL PROTECTION

Component Exposure Limits

There are no components with workplace exposure limits

Ventilation

Local exhaust: None should be needed

Mechanical (general): Adequate ventilation system

Special: Unknown Other: Unknown

IGL Coatings™ Ecocoat Quartz

Material no.

 Specification
 154283
 Revision date
 22.04.2014

 Version
 1.12
 Print date
 23.04.2014

Page Page 3 of 4



Protective gloves: Plastic film or rubber gloves

Eye Protection: Safety glasses

Other Protective Clothing or Equipment: Safety shower and eyewash equipment

Work/Hygienic Practices

Avoid prolonged breathing vapor Avoid contact with eyes and skin Wash hands and gargle after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point : 180-220°C

Vapor Pressure : not applicable

Vapor Density (air=1) : not applicable

Specific Gravity : 1 (at 20°C)

Melting Point : Not applicable

Flash Point : >70 °C

pH : 7.0 +/- 0.5
Evaporation Rate : Not applicable

Solubility in Water : Not soluble (hydrolyzed with water)

Appearance (color) : transparent
Appearance (form) : Fluid

Odour : a little odour

10. STABILITY AND REACTIVITY

Stability : Stable

Condition to avoid : sunlight, heat
Incompatibility (material to avoid) : data none
Hazardous decomposition : data none
Hazardous Polymerization : Will not occur

11. TOXICOLOGICAL INFORMATION

Special hazard information on components

No known applicable information

12. ECOLOGICAL INFORMATION

Biodegradation : No information is available Bioaccumulation : No information is available Aquatic Toxicity : No information is available

Other Information : None

13. DISPOSAL CONSIDERATION

Product

Not Hazardous, but local law may impose additional regulatory requirements regarding disposal.

IGL Coatings™ Ecocoat Quartz

Material no.

Specification 154283

Version 1.12 Page

Revision date Print date 23.04.2014

22.04.2014

Page 4 of 4



14. TRANSPORT INFORMATION

IMDG Not dangerous goods IATA Not dangerous goods

15. REGULATORY INFORMATION

National legislation

16. OTHER INFORMATION

No specific Notes

Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material use in combination with any other materials or any process, unless specified in the test.